

Ovens

NSW-142 HOT AIR OVEN (BOTTOM HEATED)

CONSTRUCTION:

- Double walled inside chamber made of Aluminium or Stainless Steel 304 qty.
- Outer body made of Mild Steel and painted in Epoxy Powder Coating.
- Insulation by Mineral wool 75mm.
- The door has synthetic neoprene rubber gasket.
- Supplied with 2/3 removable wire-mess shelves.
- Supplied with / without air circulating fan.

TEMPERATURE:

- Thermostat control the temperature range having 50°C to 250°C ±2°C.
- With coils heaters placed at the bottom
- With three controls switch (Rotary Switch) low, medium & high for heater/fan motor speed.
- Graduated Temperature control knob.
- Ventilators on both sides.
- Work on 220/230V AC, 50 Hz but without thermometer.



NSW-142

SIZE INSIDE CHAMBER (ALUMINIUM)

MODEL	SIZE (MM)			RATING	LTRS
	W	D	H		
HOA-1	300	300	300	1.0 KW	28
HOA-2	355	355	355	1.0 KW	45
HOA-3	455	455	455	1.5 KW	95
HOA-4	455	455	605	1.5 KW	125
HOA-5	605	605	605	2.0 KW	224
HOA-6	605	455	910	2.0 KW	252
HOA-7	605	605	910	2.0 KW	336

SIZE INSIDE CHAMBER (STAINLESS STEEL)

MODEL	SIZE (MM)			RATING	LTRS
	W	D	H		
HOS-1	300	300	300	1.0 KW	28
HOS-2	355	355	355	1.0 KW	45
HOS-3	455	455	455	1.5 KW	95
HOS-4	455	455	605	1.5 KW	125
HOS-5	605	605	605	2.0 KW	224
HOS-6	605	455	910	2.0 KW	252
HOS-7	605	605	910	2.0 KW	336

Note: Electronic digital temperature controller-cum-indicator cannot be fitted in Hot Air Oven.